ODMOTO 1	2000 (-1.C1) H.C. DEDA DELO		JC11 Rec'ri PCT/PTO 0 5 MAR
	•	NIOF COMMERCEPATENTAND TRADEMÀRKOFFIC	112740-164
1		R TO THE UNITED STATES	
		ED OFFICE (DO/EO/US)	U.S. APPLICATION O. (IF KNOWN, SEE 37 CFR
	CONCERNING A FILI	09/786608	
	TIONALAPPLICATIONNO. PCT/DE99/02805	INTERNATIONALFILINGDATE 03 September 1999	PRIORITYDATECLAIMED 03 September 1998
IETHO PPLICA	NT(S)FOR DO/EO/US	ICATION SYSTEM FOR SYNCHRO	ONIZING SUBSCRIBER STATIONS
lichael	Benz et al.		
plicant	herewith submits to the United S	tates Designated/Elected Office (DO/EO/US	) the following items and other information:
1.	This is a FIRST submission of	fitems concerning a filing under 35 U.S.C.	371.
2. 🗆	This is a SECOND or SUBSE	QUENT submission of items concerning a	filing under 35 U.S.C. 371.
3. ☒	examination until the expiratio	egin national examination procedures (35 U n of the applicable time limit set in 35 U.S.0	C. 371(b) and PCT Articles 22 and 39(1).
4. <b>X</b>	A proper Demand for Internati	onal Preliminary Examination was made by	the 19th month from the earliest claimed priority date.
5.	A copy of the International Ap	plication as filed (35 U.S.C. 371 (c) (2))	
	a. $\square$ is transmitted herewit	h (required only if not transmitted by the In	nternational Bureau).
		by the International Bureau.	
	•	application was filed in the United States F	,
. X		al Application into English (35 U.S.C. 371(	c)(2)).
7. 🛭	A copy of the International Sea	· '	
i. 🛮	_	he International Application under PCT Art	icle 19 (35 U.S.C. 371 (c)(3))
		ith (required only if not transmitted by the l	nternational Bureau).
		by the International Bureau.	
		however, the time limit for making such am	endments has NOT expired.
	d. 🛮 have not been made a		
). []		ts to the claims under PCT Article 19 (35 U	S.C. 371(c)(3)).
).	An oath or declaration of the in	eventor(s) (35 U.S.C. 371 (c)(4)).	
1.	• •	liminary Examination Report (PCT/IPEA/40	•
2.	A translation of the annexes to (35 U.S.C. 371 (c)(5)).	the International Preliminary Examination	Report under PCT Article 36
Items	13 to 20 below concern docume	nt(s) or information included:	
. 🛮		tement under 37 CFR 1.97 and 1.98.	
		ecording. A separate cover sheet in complia	nce with 37 CFR 3.28 and 3.31 is included.
s. 🛛	A FIRST preliminary amendm		
. 🗆	A SECOND or SUBSEQUEN	Γ preliminary amendment.	
. 🗆	A substitute specification.		
. 🗆	A change of power of attorney		
. 🛮	Certificate of Mailing by Expre	ss Mail	
). 🛛	Other items or information:		
	Submission of Drawings - Fig	ures 1-5 on four sheets	

			.!(	102 R	ec'd PGT/PTO	0 5 MAR SAF	
U.S. APPLICATION	NO (IEKNOWN SEE 37 CFR	INTERNATIONALAPPLIC	ATIONNO.		ATTORNEY'S	DOCKETNUMBER	
<u>U9/</u>	780608	PCT/DE99/02	805		112740-164		
	lowing fees are submitted:.  L FEE ( 37 CFR 1.492 (a) (1) -	CALCULATIONS	PTO USE ONLY				
<ul><li>Neither inter inter international</li></ul>	national preliminary examination search fee (37 CFR 1.445(a)(2) ponal Search Report not prepared	fee (37 CFR 1.482) nor paid to USPTO	\$1,0	000.00			
	preliminary examination fee (37 Internation Search Report prepare	CFR 1.482) not paid to		860.00			
☐ International	preliminary examination fee (37 onal search fee (37 CFR 1.445(a)(	CFR 1.482) not paid to USP?	O.	710.00			
☐ International but all claim	preliminary examination fee paid s did not satisfy provisions of PC	d to USPTO (37 CFR 1 482) T Article 33(1)-(4)		690.00			
<ul><li>International and all claim</li></ul>	preliminary examination fee paid is satisfied provisions of PCT Art	d to USPTO (37 CFR 1.482) icle 33(1)-(4)	S	100.00			
	ENTER APPROPRIA	ATE BASIC FEE AN	IOUNT	=	\$860.00		
Surcharge of \$130.0 nonths from the ear	<b>0</b> for furnishing the oath or decla liest claimed priority date (37 Cl	ration later than FR 1.492 (e)).	20 🗆	30	\$0.00		
CLAIMS	NUMBER FILED	NUMBER EXTRA	RAT	ГЕ			
Total claims	13 - 20 =	0	x \$18	.00	\$0.00		
ndependent claims	2 - 3=	0	х		\$0.00		
Multiple Dependent	Claims (check if applicable).				\$0.00		
	TOTAL OF	ABOVE CALCULA	TIONS	_=	\$860.00		
Reduction of 1/2 for nust also be filed (1	filing by small entity, if applications of the filling by small entity is application of the filling by small entity is a small entity of the filling by small entity is a small entity of the filling by small entity is a small entity of the filling by small entity is a small entity of the filling by small entity is a small entity of the filling by small entities of the filling by small entities of the filling by small entity of the filling by small entities of the filling by small entity of the filling by small entities of the filling by small entities of the filling by sm	ble. Verified Small Entity Steck if applicable).	atement		\$0.00		
		SUI	BTOTAL	, =	\$860.00		
Processing fee of \$1 months from the ear	<b>30.00</b> for furnishing the English liest claimed priority date (37 CI	translation later than FR 1.492 (f)).	20 🗆	30 +	\$0.00		
		TOTAL NATIONA	L FEE	=	\$860.00		
Fee for recording the	e enclosed assignment (37 CFR 1 appropriate cover sheet (37 CFR	.21(h)). The assignment mus 3.28, 3.31) (check if applica	be ble).		\$0.00		
		TOTAL FEES ENC	LOSED	<del>' =</del>	\$860.00		
					Amount to be:	\$	
					refunded charged	\$	
Please charg	the amount of \$860.00 ge my Deposit Account No. e copy of this sheet is enclosed.	to cover the above fees is e			to cover the abov	ve fees.	
	ssioner is hereby authorized to cl Account No. 02-1818	harge any fees which may be A duplicate copy of this sheet			ny overpayment		
NOTE: Where an I.137(a) or (b)) mu	appropriate time limit under 3' st be filed and granted to restor	7 CFR 1.494 or 1.495 has no re the application to pending	t been met, status.	a petiti	on to revive (37 CF)	R	
SEND ALL CORRE	ESPONDENCE TO.	****	L		zuh		
William E. Vaugh			SIGNA	TURE	7/		
Bell, Boyd & Lloy	d LLC						
P.O. Box 1135 Chicago, IL 6069	0-1135		Willian	m E. V	aughan		
omengo, in out	v		NAME				
			39.056				

REGISTRATION NUMBER

March 5, 2001

DATE

BOX PCT

# IN THE UNITED STATES ELECTED/DESIGNATED OFFICE OF THE UNITED STATES PATENT AND TRADEMARK OFFICE UNDER THE PATENT COOPERATION TREATY-CHAPTER II

5

#### PRELIMINARY AMENDMENT

APPLICANTS:

Michael Benz et al.

DOCKET NO: 112740-164

SERIAL NO:

GROUP ART UNIT:

10

**EXAMINER:** 

INTERNATIONAL APPLICATION NO:

PCT/DE99/02805

INTERNATIONAL FILING DATE:

03 September 1999

INVENTION:

METHOD AND RADIO COMMUNICATION SYSTEM FOR

SYNCHRONIZING SUBSCRIBER STATIONS

15

20

Assistant Commissioner for Patents, Washington, D.C. 20231

Sir:

Please amend the above-identified International Application before entry into the National stage before the U.S. Patent and Trademark Office under 35 U.S.C. §371 as follows:

# In The Specification:

On page 1, cancel lines 1-4 and substitute the following therefor:

25

# --SPECIFICATION

#### TITLE

# METHOD AND RADIO COMMUNICATION SYSTEM FOR SYNCHRONIZING SUBSCRIBER STATIONS

#### **BACKGROUND OF THE INVENTION**

# 30 Field of the Invention--.

On page 1, line 6, insert --present-- before "invention".

On page 1, line 8, cancel "especially" and substitute therefor --particularly--

On page 1, line 9, cancel "comprising" and substitute therefor --which includes--.

On page 1, before line 11, insert the following left-hand justified heading: --Description of the Prior Art--.

5 On page 1, line 12, insert a --, -- after "example".

On page 1, line 26, cancel the "," and substitute therefor a --;--.

On page 2, line 6, cancel "can".

On page 2, line 6, insert --can-- after "also".

On page 2, line 8, cancel "according to figure" and substitute therefor --as

shown in Figure--.

On page 2, line 14, cancel the "," and substitute therefor a --;--.

On page 2, line 14, cancel "figure" and substitute therefor -- Figure--.

On page 2, line 17, cancel "the" before "object" and substitute therefor -- an-

On page 2, line 17, insert --present-- before "invention".

On page 2, lines 18-19, cancel "by means of" and substitute therefor --via--.

On page 2, line 21, cancel "This object is".

On page 2, cancel lines 22-25.

On page 2, before line 26, insert the following centered heading:

20 **--SUMMARY OF THE INVENTION--**.

On page 2, line 26, insert --present-- before "invention".

On page 2, line 26, insert --therefore, -- after the ",".

On page 3, line 7, cancel "by means of" and substitute therefor --via--.

On page 3, line 12, cancel "for example".

On page 3, line 15, insert --, for example,-- after "sequences".

On page 3, line 20, insert a --, -- after "examples".

On page 3, line 21, insert a --,-- after "codes".

On page 3, line 22, cancel "an advantageous" and substitute therefor -- another--.

On page 3, line 23, insert --present-- before "invention".

On page 3, line 28, cancel "can".

On page 3, line 28, insert --can-- after "also".

On page 3, line 29, insert a --,-- after "is".

5 On page 3, line 29, insert a --,-- after "thus".

On page 3, line 30, cancel "can".

On page 3, line 30, insert -- can-- after "also".

On page 4, line 33, insert --easily-- after "drawback".

On page 4, line 33, cancel "easily".

On page 4, cancel lines 35-37 and substitute the following paragraph therefor:

--Additional features and advantages of the present invention are described in, and will be apparent from, the following Detailed Description of the Preferred Embodiments and the Drawings.--

On page 5, before line 1, insert the following centered heading:

# -- DESCRIPTION OF THE DRAWINGS--.

On page 5, line 2, cancel "the" and substitute therefor --a--.

On page 5, line 2, cancel the "," and substitute therefor --in a radio communication system;--.

20 On page 5, line 4, insert --a-- after "between".

On page 5, line 5, cancel the "," and substitute therefor --in a radio communication system of the present invention;--.

On page 5, line 8, cancel the "," and substitute therefor --in accordance with the teachings of the present invention;--.

On page 5, line 9, cancel the "," and substitute therefor --for transmitting control information;--.

On page 5, line 11, insert -- of subscriber stations-- after "synchronization".

On page 5, before line 13, insert the following centered heading:

# -- DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS--.

On page 5, line 33, cancel "by means of" and substitute therefor --via--.

On page 6, line 18, cancel "figure" and substitute therefor -- Figure--.

On page 7, line 5, insert --present-- before "invention".

On page 7, line 31, cancel "In consequence" and substitute therefor -- As a

5 result--.

On page 8, line 5, cancel "figure" and substitute therefor -- Figure--.

On page 8, line 15, cancel "figure" and substitute therefor -- Figure--.

On page 8, line 17, cancel "by means of" and substitute therefor --via--.

On page 8, line 18, insert -- also-- after "information".

On page 8, line 19, cancel "also".

On page 8, line 32, cancel "can".

On page 8, line 32, insert --can-- after "also".

On page 9, line 9, cancel "can".

On page 9, line 9, insert --can-- after "also".

On page 9, line 10, cancel "is".

On page 9, line 10, insert --is-- after "also'.

On page 9, line 11, cancel "by means of" and substitute therefor --via--.

On page 9, line 14, cancel the "," and substitute therefor a --;--.

On page 9, line 14, insert a --, -- after "example".

20 On page 9, line 23, insert --as shown in Figure 5-- before the ".

On page 9, line 30, cancel "by means of" and substitute therefor --via--.

On page 9, line 36, cancel "is".

On page 9, line 36, insert --is-- after "also".

On page 10, after line 2, insert the following paragraph:

25 --Although the present invention has been described with reference to specific embodiments, those of skill in the art will recognize that changes may be made thereto without departing from the spirit and scope of the invention as set forth in the hereafter appended claims.--

25

After page 14, cancel lines 1-4, and substitute the following centered heading therefor:

# --ABSTRACT OF THE DISCLOSURE---

On page 14, line 6, cancel "According to the invention," and substitute therefor --A method and radio communication system for synchronizing subscriber stations, wherein--.

On page 14, line 21, cancel "by means of" and substitute therefor --via--. On page 14, cancel line 27.

#### In the Claims:

On page 11, cancel line 1, and substitute the following left-hand justified heading therefor:

#### -- We Claim As Our Invention: --.

Please cancel claims 1-13, without prejudice, and substitute the following claims therefor:

15 14. A method for synchronizing subscriber stations in a radio communication system, the method comprising the steps of:

allocating a time slot for transmitting at least one synchronization sequence to a number of base stations;

allocating to adjacent base stations a different time offset with respect to a beginning of the time slot for transmitting the at least one synchronization sequence, wherein the time offset corresponds to at least one of a choice of at least one synchronization sequence and a sequence of a number of synchronization sequences;

receiving, at a subscriber station, the synchronization sequence; and performing, via the subscriber station, a time synchronization via both a

time of reception of the synchronization sequence and at least one of the detected synchronization sequence designating the time offset and the detected sequence of the number of synchronization sequences.

20

25

- 15. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, further comprising the step of: transmitting two synchronization sequences in one time slot.
- 16. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 15, further comprising the step of:

  predetermining a time gap between the two synchronization sequences in the one time slot.
- 10 17. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, the method further comprising the step of:

transmitting further information by the base station by a choice of at least one of the synchronization sequences and the sequence of a number of synchronization sequences.

- 18. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 17, wherein the further information relates to at least one of a frame synchronization, midambles, and spread-spectrum codes used by the base station.
- 19. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 17, wherein the further information relates to information on the configuration of a control channel.

20. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 19, wherein the information on configuration relates to at least one of a variable number of time slots and spread spectrum codes.

21. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 17, wherein the coding of the further information extends over a number of time slots due to at least one of the choice of synchronization sequences and the sequence of synchronization sequences.

5

- 22. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, wherein the synchronization sequences are unmodulated orthogonal gold codes.
- 23. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, wherein the time slots are a part of a TDD transmission arrangement with broadband channels, a number of time slots per frame being used for the synchronization.
- 24. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, wherein the synchronization sequences are transmitted in time slots in which information of a control channel is additionally transmitted.
- 25. A method for synchronizing subscriber stations in a radio communication system as claimed in claim 14, wherein the synchronization sequences are transmitted at lower power compared with other transmissions of the base station.
- 25 26. A radio communication system, comprising:
  - a plurality of base stations for transmitting at least one synchronization sequence;
  - a controller which assigns a time slot and a different time offset with respect to a beginning of the time slot for transmitting the synchronization sequence to

adjacent base stations, the time offset corresponding to at least one of a choice of at least one synchronization sequence and a sequence of a number of synchronization sequences;

a subscriber station for receiving and evaluating the synchronization sequence; and

a synchronization part allocated to the subscriber station which performs a time synchronization via a time of reception of the synchronization sequence and at least one of a detected synchronization sequence designating the time offset and a detected sequence of a number of synchronization sequences.

10

15

20

5

#### REMARKS

The present amendment makes editorial changes and corrects typographical errors in the specification in order to conform the specification to the requirements of the United States Patent practice. No new matter is added thereby. Original claims 1-13 have been canceled in favor of new claims 14-26. Claims 14-26 have been presented solely because the revisions by bracketing and underlining which would have been necessary in claims 1-13 in order to present those claims in accordance with preferred United States Patent practice would have been too extensive, and thus would have been too burdensome. The amendment is intended for clarification purposes only and not for substantial reasons related to patentability pursuant to 35 U.S.C. §§101, 102, 103 or 112. Indeed, the cancellation of claims 1-13 does not constitute an intent on the part of the Applicants to surrender any of the subject matter of claims 1-13.

Farly co	neideration	on the	merite is	respectfully	requested
Lariv co	msideratioi	i on the	merus is	respections	reduested.

Respectfully submitted,

5	It has	(Reg. No. 39,056)
	William E. Vaughar	
	Bell, Boyd & Lloy LLC	
	P.O. Box 1135	
	Chicago, Illinois 60690-1135	
10	(312) 807-4292	
	Attorneys for Applicants	

Description

Method and radio communication system for synchronizing subscriber stations

4/PRTS

5

10

15

20

25

30

35

The invention relates to a method and a radio communication system for synchronizing subscriber stations, especially to the synchronization within a mobile radio system comprising broadband channels and TDD and CDMA subscriber separation.

In radio communication systems, messages (for example voice, video information or other data) are transmitted via an air interface with the aid of electromagnetic waves. The air interface relates to a connection between a base station and subscriber stations, where the subscriber stations can be mobile stationary radio stations. stations or with carrier radiated electromagnetic waves are frequencies which are in the frequency band provided respective system. For future for the communication systems, for example the Universal Mobile Telecommunication System (UMTS) or other generation systems, frequencies within the frequency band of approx. 2000 MHz are provided.

For the third mobile radio generation, two modes are provided, one mode designating an FDD (Frequency Division Duplex) mode, see ETSI STC SMG2 UMTS-L1, Tdoc SMG2 UMTS-L1 221/98, of 25.8.1998, and the other mode designating a TDD (Time Division Duplex) mode, see DE 198 27 700. The operating modes are used in different frequency bands and both use time slots.

In ETSI STC SMG2 UMTS-L1, Tdoc SMG2 UMTS-L1 221/98, of 25.8.1998, a synchronization method which uses synchronization sequences transmitted in every time slot is described in chapters 2.3.3.2.3 and 6.3

15

20

25

30

for the FDD mode. This makes it possible to synchronize the subscriber stations at the beginning of the time slot. The sequence of transmissions of a second synchronization sequence signals which spread-spectrum code is used by the base station. Furthermore, the beginning of the frame can also be derived therefrom.

However, this synchronization method leads to a scenario according to figure 1 with a synchronous operation of the base stations. The synchronization sequences of base stations of two radio cells Z1, Z3 are superimposed at the receiving subscriber station since the transmissions of the synchronization sequences of all base stations are referred to at the beginning of a frame, see figure 10 in ETSI STC SMG2 UMTS-L1, Tdoc SMG2 UMTS-L1 221/98 of 25.8.1998. The superimposition impairs proper synchronization.

It is, therefore, the object of the invention to specify a method and a radio communication system by means of which the synchronization of the subscriber stations is possible without errors even with at least partially synchronized base stations. This object is achieved by the method having the features of claim 1 and the radio communication system having the features of claim 13. Advantageous further developments can be found in the subclaims.

According to the invention, a time slot for transmitting at least one synchronization sequence is allocated to a number of base stations, either by a higher-level entity or by own selection. Adjacent base stations use a different time offset with respect to the beginning of the time slot for transmitting the synchronization sequence. This precludes superposition even with a synchronized operation of the base stations.

35 The time offset is transmitted so that the subscriber station can still determine the beginning of the time slot. The time

15

20

25

30

35

offset corresponds to the choice of one or more synchronization sequences and/or the sequence of a number of synchronization sequences. In this manner, information relating to the time offset transmitted in coded form. Α subscriber station receives the synchronization sequence and performs a time synchronization by means of the time of reception synchronization sequence and the detected synchronization sequence designating the time offset and/or the detected sequence of а number synchronization sequences.

To signal the time offset, for example many variants of a single synchronization sequence and/or the order of transmission of different synchronization sequences can be used. Advantageously, two synchronization sequences are transmitted in one time slot as in the FDD mode described above. The first synchronization sequence is used for determining the time of reception and for coarse synchronization. The sequence of the second synchronization sequences over a number of transmissions codes the time offset.

According to an advantageous embodiment of the invention, time interval between the two synchronization sequences in one time slot predetermined. This provides the possibility of using a filter for detecting single, switchable synchronization sequences. The second synchronization sequence can also be transmitted before the first one the time interval is thus negative. different filters are used, the two sequences can also be transmitted simultaneously.

It is also advantageous to transmit further information by a choice of synchronization sequences and/or their sequence. This provides for quicker operational readiness of the subscriber stations. The further information relates to a frame synchronization, midambles used by the base station, spread-spectrum codes or information

15

20

25

on the configuration of a control channel. A high coding gain is achieved if the coding of the further information by choice and/or sequence of the synchronization sequences extends over a number of time slots. If, for example, 17 variants of the second synchronization sequence are used and the sequence of eight transmissions of the second synchronization sequence is evaluated, this provides 17<sup>8</sup> possibilities. Only a small proportion of these needs to be used.

The synchronization sequences are advantageously unmodulated orthogonal gold codes. As a result, the synchronization method of the FDD mode does not need to be modified much. The synchronization method is particularly suitable for radio communication systems in which the time slots are a part of a TDD transmission arrangement with broadband channels. In this arrangement, a number of time slots per frame can be used for the synchronization. Thus, parts of the detection device can be used for both modes in multimode subscriber stations.

To use the fewest possible system resources for broadcasting purposes, the synchronization sequences are sent in time slots in which information of a control channel is additionally transmitted. Thus, only a small number of time slots needs to be continuously kept available in the downlink direction (from the base station to the subscriber station). The degrees of freedom of asymmetry of both directions the transmission are not much restricted. To keep the interference caused by the synchronization sequences in the remaining channels as low as possible, they are sent at a lower power compared with other transmissions of the base station. This drawback can be easily compensated for by the coding gain.

Exemplary embodiments of the invention will be explained in greater detail with reference to the attached drawings, in which

10

15

20

25

30

35

Figure 1 shows an example of superpositions of synchronization sequences at the receiver,

Figure 2 shows a diagrammatic representation of the air interface between base station and subscriber stations,

Figure 3 shows an arrangement for using a time offset in the transmission of the synchronization sequences,

Figure 4 shows different types of control channels, and

Figure 5 shows a flow chart for the synchronization.

The frame structure of the radio transmission can be seen in Figure 2. According to a TDMA (Time Division Multiple Access), a broadband frequency band, for example with a bandwidth B = 5 MHz, is divided into a number of time slots ts of the same duration, for example 16 time slots ts0 to ts15. A frequency band extends over a frequency range B. Some of the time slots are used in the downlink direction DL and some of the time slots are used in the uplink UL. As example, an asymmetry ratio of 3:1 in favor of the downlink DL is shown. In this TDD transmission method, the frequency band for the uplink UL corresponds to the frequency band of the downlink DL. The same is repeated for other carrier frequencies. Due to the variable allocation of the time slots ts for the uplink or downlink, a great variety of asymmetric resource allocations can be made.

Within the time slots, the information from a number of connections is transmitted in message blocks. The data d are spread in a connection-oriented manner by means of a fine structure, a spread-spectrum code c so that at the receiving end, for example n connections can be separated by this CDMA (Code Division Multiple Access) component. The spreading of individual symbols of the data d has the effect that Q chips of duration

 $T_{\text{chip}}$  are transmitted within the symbol period  $T_{\text{sym}}.\ The$ Q chips here form the connection-oriented spreadspectrum code c.

25

Within a broadband frequency range B, the successive time slots ts are arranged in accordance with a frame structure. Thus, 16 time slots ts are combined to form one frame fr.

The parameters used for the air interface are 5 advantageously:

Chip-rate:

4.096 Mcps

Frame period:

10 ms

Number of time slots:

16

10

Duration of a time slot: 625 µs

Spreading factor:

16

Type of modulation:

QPSK

Bandwidth:

5 MHz

Frequency reuse value:

1

parameters provide for the best possible 15 harmonization with an FDD (Frequency Division Duplex) mode for the 3rd mobile radio generation.

In the downlink according to figure 3, slots ts0, ts8 are used example, two time synchronization. Thus, two synchronization sequences cp, cs separated by a time gap t<sub>gap</sub> are in each case transmitted in one time slot ts8. The separation of the two synchronization sequences cp, cs has the advantage of reduced interference since the noise power of both sequences is distributed better over time. The first synchronization sequence cp is the same in each time slot ts0, ts8. The second synchronization sequence cs can be chosen individually for each time slot ts0 to time slot ts8.

choice and order of the second 30 The synchronization sequence cs corresponds to a time offset toff by which the transmission of the first synchronization sequence cp is delayed with respect to The slot ts8. receiving beginning of time subscriber station MS can determine the time offset 35 toff

15

20

25

30

35

by receiving and evaluating the synchronization sequences cs and take this into consideration during the synchronization.

Adjacent base stations BS are frame-synchronized. According to the invention, a different time offset toff for transmitting the synchronization sequences is assigned to adjacent base stations BS. For example, 32 different time offsets toff are used so that cell clusters can be formed and when the time offset toff is changed for one base station BS, the whole cluster does not need to be changed.

Due to the choice and sequence of the second synchronization sequences cs over, for example, 4 frames fr and two time slots ts0, ts8 per frame fr, 178 different possibilities for transmitting further information in addition to the time offset toff are created when 17 different unmodulated orthogonal cold codes of 256 chips length are used. Due to the many possibilities, the coding gain is high so that the synchronization sequences cp, cs can be transmitted at low power.

The further information relates to the frame synchronization, midambles used by the base station, spread-spectrum codes (the midambles and spreadspectrum codes being issued independently of another) and information on the configuration of a control channel BCCH. In the case of two time slots ts frame fr, used for the synchronization, the beginning of the frame is still inaccurate by a factor of two after detection of the synchronization in one time slot ts. In consequence, the frame synchronization can be produced easily by a certain sequence of second synchronization sequences cs. In addition, the later detection of information of the control channel BCCH is speeded up if midambles, spread-spectrum codes and the configuration information on are transmitted during the synchronization.

20

25

30

35

In particular, there is the possibility of introducing a scalable control channel BCCH which is announced by synchronization sequence of sequences the independently of the use of the time offset toff. According to figure 4, for example, control information can be transmitted in one, two or four channels. Thus, the data rate of the control channel BCCH can be adapted to the cell-related requirements in accordance with the services offered there. This provides future modification of the control channel BCCH. Thus, 10 the parameters (number of channels, time slots and spread-spectrum codes) of the control channel BCCH do not need to be fixed in advance throughout the system but can be transmitted during the synchronization.

In addition to the variants of figure 4, it is also possible to inform about additional channels with control information by means of the further information from the synchronization. Thus, control information can also be temporarily transmitted in additional channels. The control channel BCCH is transmitted in parallel with other user data calls but possibly with greater error protection coding.

The transmissions of the control channel BCCH synchronization sequences cp, cs of the and preferably located in the same time slot ts, as a result of which only two time slots ts0, ts8 need to be for the downlink DL. The reserved continuously adjustability of the asymmetry is only restricted very slightly.

If the asymmetry ratios in the system are such that more than two time slots ts0, ts8 are used for the downlink DL, control information can also be transmitted in the remaining time slots ts allocated to the down link DL. It is then also possible to transmit the control information exclusively in time slots ts in which the synchronization sequences cp, cs are not transmitted. The flexibility of the

10

15

20

25

30

35

control channel BCCH provides additional advantages since, for example, a distribution over a number of time slots results in greater robustness of the transmission with respect to interference.

Using a multicode transmission in the control channel BCCH (a number of spread-spectrum codes c per time slot ts) within a time slot ts provides for an adaptive increase in the data rate of the control channel BCCH. A similar effect can also be achieved by reducing the spreading factor which is also transmitted by means of the choice and sequence of the synchronization sequences cs. The choice of time slots ts for transmitting the control information can be coordinated by a higher-level entity, for example a radio network resource manager RNM for a number of base stations BS.

The assignment of time slots ts0, ts8 for the synchronization and of different time offsets toff with respect to the beginning of time slot ts0, ts8 for transmitting the synchronization sequences cp, cs, performed in a controller, e.g. the radio network resource manager RNM of a base station system, precedes the synchronization as a first step 1. In a second step 2, a number of base stations BS transmit the synchronization sequences cp, cs in the predetermined order which is particular to each base station and corresponds to the time offset toff.

In a third step 3, a subscriber station MS receives the synchronization sequences cp, cs and performs a coarse synchronization by means of the first synchronization sequence cp. Evaluation of the second synchronization sequences cs in a fourth step 4 enables the time slots to be synchronized to the beginning of time slot ts whereupon, in a fifth step 5, the frame synchronization and the preparation for reception of the control channel BCCH is also performed by evaluating the further information. Steps 3 to 5 are performed by synchronization means SYNC allocated to the subscriber station which,

for example, represent a signal processing processor and correlators formed by signal-adapted filters.

15

30

35

#### Patent Claims

1. A method for synchronizing subscriber stations (MS) in a radio communication system, in which a time slot (ts) for transmitting at least one synchronization sequence (cp, cs) is allocated to a number of base stations (BS),

adjacent base stations (BS) use a different time offset (toff) with respect to the beginning of the time slot (ts) for transmitting the synchronization sequence (cp, cs),

the time offset (toff) corresponds to the choice of one or more synchronization sequences (cp, cs) and/or to the sequence of a number of synchronization sequences (cp, cs),

the subscriber station (MS) performs a time synchronization by means of the time of reception of the synchronization sequence (cp, cs) and the detected synchronization sequence (cp, cs) designating the time offset (toff) and/or the detected sequence of a number of synchronization sequences (cp, cs).

- 2. The method as claimed in claim 1, characterized in that two synchronization sequences (cp, cs) are transmitted in one time slot (ts).
  - 3. The method as claimed in claim 2, characterized in that a time gap  $(t_{gap})$  is predetermined between the two synchronization sequences (cp, cs) in a time slot (ts).
  - 4. The method as claimed in one of the preceding claims, characterized in that further information is transmitted by the base station (BS) by a choice of synchronization sequences (cp, cs) and/or their sequence.
  - 5. The method as claimed in claim 4 characterized in that

15

the further information relates to a frame synchronization and/or midambles and/or spread-spectrum codes (c) used by the base station (BS).

- 6. The method as claimed in claim 4, characterized in that the further information relates to information on the configuration of a control channel (BCCH).
  - 7. The method as claimed in claim 6, characterized in that the information on configuration relates to a variable number of time slots and/or spread-spectrum codes.
  - 8. The method as claimed in one of claims 4 to 7, characterized in that the coding of the further information extends over a number of time slots (ts) due to the choice and/or sequence of synchronization sequences (cp, cs).
  - 9. The method as claimed in one of the preceding claims, characterized in that the synchronization sequences (cp, cs) are unmodulated orthogonal gold codes.
- 20 10. The method as claimed in one of the preceding claims, characterized in that the time slots (ts) are a part of a TDD transmission arrangement with broadband channels, a number of time slots (ts) per frame (fr) being used for the synchronization.
- 25 11. The method as claimed in one of the preceding claims, characterized in that the synchronization sequences (cp, cs) are transmitted in time slots (ts) in which information of a control channel (BCCH) is additionally transmitted.
- 12. The method as claimed in one of the preceding claims, characterized in that the synchronization sequences (cp, cs) are transmitted at lower power compared with other transmissions of the base station (BS).

- 13. A radio communication system comprising a number of base stations (BS) for transmitting at least one synchronization sequence (cp, cs),
- 5 comprising a controller (RNM) which assigns a time slot (ts) and a different time offset (toff) with respect to the beginning of the time slot (ts) for transmitting the synchronization sequence (cp, cs) to adjacent base stations, the time offset (toff) corresponding to the choice of one of more synchronization sequences (cp, cs) and/or the sequence of a number of synchronization sequences (cp, cs),
  - comprising a subscriber station (MS) for receiving and evaluating the synchronization sequence (cp, cs),
- 15 comprising synchronization means (SYNC) allocated to the subscriber station, which perform a time synchronization by means of the time of reception of the synchronization sequence (cp, cs) and the detected synchronization sequence (cp, cs) designating the time offset (toff) and/or the detected sequence of a number of synchronization sequences (cp, cs).

Abstract

Method and radio communication system for synchronizing subscriber stations

According to the invention, a time slot is assigned to a number of base stations for transmitting at least one synchronization sequence and adjacent base stations use a different time offset with respect to the beginning of the time slot for transmitting the synchronization sequence. Thus, superposition can be precluded even in the case of a synchronized operation of the base stations. So that the subscriber station can still determine the beginning of the time slot, the time offset is transmitted. The time offset corresponds to the choice of one or more synchronization sequences and/or the sequence of a number of synchronization sequences. The information relating to the time offset is transmitted coded in this manner. A subscriber station receives the synchronization sequence performs a time synchronization by means of the time of reception of the synchronization sequence and the detected synchronization sequence designating the time offset and/or the detected sequence of a number of synchronization sequences.

Figure 3

1/4

Fig. 1






Fig. 3




2/4

Fig. 2






3/4



4/4

Fig. 5



10
÷ 22
Parit.
Ħ
42,55
ã:
ã:

		FOR PATENT APPLICATION A	IND POWER OF ATTORNEY	ATTORNEYS					
(Includes Referend	DOCKET NUMBER 112740-164								
	As a below named inventor, I hereby declare that:								
My residence, post office address and citizenship are as stated below next to my name, I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:  METHOD AND RADIO COMMUNICATION SYSTEM FOR SYNCHRONIZING SUBSCRIBER STATIONS									
the specification	the specification of which (check only one item below):								
	is attached hereto.								
	was filed as United States application Serial No09/786,608								
	on	March 5, 2001							
	and was amer	nded							
	on		(if applicable).						
	was filed as Po	CT international application							
	Number								
	on								
	and was amended under PCT Article 19								
	onno		(if applicable).						
I hereby state to claims, as amer	hat I have reviev		s of the above-identified specifical	tion, including the					
l acknowledge to with Title 37, Co	the duty to disclode of Federal F	ose information which is materia Regulations, §1.56(a).	I to the examination of this applica	ation in accordance					
with Title 37, Code of Federal Regulations, §1.56(a).  I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:									
PRIOR FOREIG	SN/PCT APPLIC	CATION(S) AND ANY PRIORIT	Y CLAIMS UNDER 35 U.S.C. 119	<del>)</del> ;					
COUN (if PCT indic		APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 USC 119					
Germany		198 40 232.5	03 September 1998	YES INO					
				□YES □NO					
				☐ YES ☐ NO					
				☐ YES ☐ NO					
				□YE\$ □NO					

	oined Declaration inued) (Includes Re	ATTORNEY'S DOCKET NO. 112740-164							
the Uni that/the materia	y claim the benefit und ted States of America se prior application(s) Il Information as defini a national or PCT inte	that is/are in the manned in Title 37	isted belov er provided ', Code of F	v and, ins by the fir ederal R	sofar as th rst paragra tegulations	e subject mater of e ph of Title 35, Untied	ach of the claims of States Code, §11	of this application 2, I acknowledge t	is not disclosed in the duty to disclose
PRIOR	U.S. APPLICATION	S OR PCT I	NTERNAT	IONAL A	PPLICAT	IONS DESIGNATIN	IG THE U.S. FOR	BENEFIT UNDE	R 35 U.S.C. 120:
U.S. Al	PLICATIONS					<del></del>	STATUS (Che	еск опе)	<b>~</b>
U.S. A	PLICATION NUMBE	R		· · · · · · · · · · · · · · · · · · ·	U.S. FI	LING DATE	PATENTED	PENDING	ABANDONE
PCT AF	PLICATIONS DESIG	SNATING TH	E U.S.		!				
P	CT APPLICATION NO	O P	CT FILING	DATE		ERIAL NUMBERS SIGNED (If any)			
							<del></del>	<del> </del>	
Harney (33,543) of Bell, I	R OF ATTORNEY: As Barry (30,819), Thom (38,174), Patricia A. K. Boyd & Lloyd LLC;  Orrespondence to;	ane /AR AAR	Michael	ê Lagra	. Camer	(30,404), Robert VV	. Connors (46,639	], Amy J. Gast (41	1.773), Timothy L
	onespondence to:		EL1, BOYO P.O, B hicago, ii	OK 1135	Ē.			Direct Telephor 312/807-4292	ne Calls to:
	FULL NAME OF INVENTOR	FAMILY NA	ME			FIRST GIVEN NAME		SECOND GIVEN NA	ME
2 0 1	RESIDENCE & CITIZENSHIP	CITY 13629,Ba	erlin	7	ΕX	STATE OR FOREIGN	COUNTRY	COUNTRY OF CITIZ	ENSHIP
	POST OFFICE ADDRESS	l .	CE ADDRESS damm 328			CITY 13629 Berlin		STATE & ZIP CODE/COUNTRY Garmeny	
•	FULL NAME OF INVENTOR	FAMILY NAI	ME 	·		FIRST GIVEN NAME ANJA		SECOND GIVEN NA	ME
2 0 2	RESIDENCE & CITIZENSHIP	спу 10709 Ве	rlin	DE	X	STATE OR FOREIGN COUNTRY Germany		COUNTRY OF CITIZENSHIP	
····	POST OFFICE ADDRESS	Post office Paderborn	E ADDRESS Her Str. 8			CITY 10709 Berlin		STATE & ZIP CODE	COUNTRY
	FULL NAME OF INVENTOR	FAMILY NAN	1E			FIRST GIVEN NAME		SECOND GIVEN NAM	AE.
2 0 3	RESIDENCE & CITIZENSHIP	CITY 10405 Berlin		DE	X	STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZE	ENSHIP
harabu d	POST OFFICE ADDRESS	POST OFFIC Prenziauar Al	100 227			CITY 10405 Berlin		STATE 2 ZIP CODE/	
ne or imp	eclare that all statemes; and further that thes prisonment, or both, un the application or any	nder section	1001 0570	bla 18 of	wledge and ne knowled the United	o true and that all sta dge that willful false States Code, and t	tements made on statements and th hat such willful fals	Information and be se like so made ar se statements ma	elief are believed e punishable by y jeopardize the
IGNATU	RE OF INVENTOR 2	01 SIG	NATURE	SYNTA TO CO	NTOR 20	ar ar	SIGNATURE OF	INVENTOR 203	KIVI
ATE	PENA	DAT		hay	129,	8/	DATE	m 0/0	1
- 109 I (i	REV 01-84)	Page 2 o	f 4		7	US DEPARTM	ENT OF COMME	RCE- Patent and	Trademark Offic

	Combined Declaration For Patent Application and Power of Attorney (Continued) (Includes Reference to PCT International Applications) PCT/DE99/02805												
	the Uni that/the materia	I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT International application(s) designating the United States of America that is/are listed below and, insofar as the subject mater of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, Untitled States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:											
	PRIOR	U.S. APPLICATIONS	BENEFIT UNDER 35 U.S.C. 120:										
	U.S. A	PPLICATIONS					STATUS (Check one)						
	U.S. A	U.S. APPLICATION NUMBER U.S. FIL					PATENTED	PENDING ABANDONEL					
	-												
	PCT AF	PPLICATIONS DESIG	NATIN	G THE U.S.			ļ						
	P	CT APPLICATION NO		PCT FILING DATE	USS	ERIAL NUMBERS							
	-					SIGNED (if any)							
**************************************			· ·	-		<del></del>							
	POWER	ROFATTORNEY: AS	a nam	ed inventor, I hereby app	oint the fo	llowing attorney(s) H	jolby M. Abern (P4	7.372), Robert M	Barrett (30 142)				
100 - 100 -	Harney	(36,174), Patricia A. Ka	15 C. B 10e (46	asso (46,541), Jeffrey H. ,446), Michael S. Leonan faurice E. Teixeira (45,64	. Cantield d (37 557)	(38,404), Robert W.	Connors (46,639)	Amy J. Gast (41	,773), Timothy L.				
11 []]	Send C	orrespondence to:		BELL, BOYD & LLOY			······································	Direct Telephor	se Celle to:				
				P.O. Box 1135				Direct Telaphone Calls to: 312/807-4292					
1.1	-		7	Chicago, Illinois 6	60690			012/00/232					
		FULL NAME OF INVENTOR	ł	( Diet )		FIRST GIVEN NAME THOMAS		SECOND GIVEN NAME					
T	0 4	RESIDENCE & CITIZENSHIP	135	3505 Berlin DEX		STATE OR FOREIGN COUNTRY Gormany		COUNTRY OF CITIZENSHIP Germany					
		POST OFFICE ADDRESS	<b>.</b>	office address dhauser Str. 109B		CITY 13505 Berlin		STATE & ZIP CODE/COUNTRY Germany					
,6		FULL NAME OF INVENTOR	j.	LY NAME RBER		FIRST GIVEN NAME MICHAEL		SECOND GIVEN NAME					
5	2 0 5	RESIDENCE & CITIZENSHIP	СПҮ 8251	TY 2515 Wolfratshausen DEX		STATE OR FOREIGN COUNTRY Germany		COUNTRY OF CITIZENSHIP					
		POST OFFICE ADDRESS	í	OFFICE ADDRESS essstaettstr. 12A		city 82515 Wolfratshav	īzeu	STATE & ZIF CODE/COUNTRY Germany					
70		FULL NAME OF INVENTOR		Y NAME TKAMP		FIRST GIVEN NAME MEIK		SECOND GIVEN NAI	ME				
6	2 0 6	RESIDENCE & CITIZENSHIP	CITY 1058	5 Berlin DEX		STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZE	ENSHIP				
U	POST OFFICE POST OFFICE ADDRESS ADDRESS Schustehrusstr. 42					CITY 10585 Berlin		STATE & ZIP CODE					
	fine or in	: and futiner that thes	e state nder se	de herein of my own kno ments were made with the action 1001 of Title 16 of t issuing thereon.	no knowie	dae that willful falce.	photomonic and th	a lika sa mada					
	SIGNATI	PRE OF INVENTOR 2	04	SIGNATURE OF INVE	NTOR 20	5	SIGNATURE OF INVENTOR 206						
	DATE	07 June 20	201	DATE			DATE 05/06/01						

PTO-1391 (REV 01-84)

Page 3 of 4

US DEPARTMENT OF COMMERCE- Patent and Trademark Office

Combi (Conti	ined Declaration nued) (Includes Refe	ATTORNEY'S DOCKET NO. 112740-164									
I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject meter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:											
PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120:											
U.S. APPLICATIONS STATUS (Check one)											
U.S. APPLICATION NUMBER U.S. FILING DATE PATENTED PENDING ABAN											
PCT AP	PLICATIONS DESIGN	ATING THE U.S.									
	CT APPLICATION NO	DOT SHING DATE		COLAL NUMBER							
	OT APPLICATION NO	PCT FILING DATE		ERIAL NUMBERS SIGNED (if any)							
			<u> </u>								
DOMES	OF ATTORNEY.		<u> </u>								
Alan L. I Harney ( (33,543) of Bell, I	Barry (30,819), Thoma (38,174), Patricia A. Ka	a named inventor, I hereby a s C. Basso (46,541), Jeffrey ine (46,446), Michael S. Leon 117), Maurice E. Telxeira (45,	H. Canfield and (37,557)	(38,404), Robert W. Edward A. Lehman	Connors (46,639) (22,312), Adam H	, Amy J, Gast (4 <sup>-</sup> , Masia (35,602).	1,773), Timothy L. Dante J. Picciano				
Send Co	orrespondence to:	BELL, BOYD & LL( P.O. Box 11	35			Direct Telepho 312/807-4292	ne Calls to:				
	PIN MARKE OF	Chicage, Illinois	5 60090								
	FULL NAME OF INVENTOR	FAMILY NAME SOMMER				SECOND GIVEN NAME					
2 0 7	RESIDENCE & CITIZENSHIP	CITY 13503 Berlin	OFFICE ADDRESS CITY		OUNTRY	COUNTRY OF CITIZENSHIP Germany					
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Schwabstedter Weg 6					STATE & ZIP CODE/COUNTRY Germany				
:	FULL NAME OF INVENTOR	FAMILY NAME		FIRST GIVEN NAME		SECOND GIVEN NAME					
2 0 8	RESIDENCE & CITIZENSHIP	CITY			STATE OR FOREIGN COUNTRY		COUNTRY OF CMIZENSHIP Germany				
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	·	CITY		STATE & ZIP CODE/COUNTRY Germany					
	FULL NAME OF INVENTOR	FAMILY NAME		FIRST GIVEN NAME		SECOND GIVEN N	ME				
2 0 9	RESIDENCE & CITIZENSHIP	CITY	<del></del>	STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZENSHIP					
	POST OFFICE ADDRESS	POST OFFICE ADDRESS		CITY		STATE & ZIP CODE					
to be true	e; and further that thes aprisonment, or both, u	ents made herein of my own keestatements were made whender section 1001 of Title 16 y patent issuing thereon.	th the knowle	adge that willful false	statements and t	he like so made :	are punishable by				
SIGNAT	URE OF INVENTOR 2	5	VENTOR 20	02	SIGNATURE O	F INVENTOR 20	3				
DATE	07,06,0	DATE			DATE						

•	*							
COMBINED DI (Includes Reference	ATTORNEY'S DOCKET NUMBER 112740-164							
	As a below na	med inventor, I hereby declare	that:					
I believe I am to inventor (if plur the invention e	he original, first : al names are lis ntitled:	and sole inventor (if only one n ted below) of the subject matte	as stated below next to my name, ame is listed below) or an original, or which is claimed and for which a synCHRONIZING SUBSCRIBER S	patent is sought on				
the specification	on of which (che	ck only one item below):						
a	is attached her	reto.						
	was filed as United States application Serial No09/786,608							
	an	March 5, 2001		<b>-</b> -				
	and was amen	ded						
	on		(if applicable).					
	was filed as Po	CT international application						
,	Number							
	on							
	and was amen	ided under PCT Article 19						
	onno		(if applicable).					
I hereby state to claims, as ame	hat I have review nded by any am	wed and understand the conter endment referred to above.	nts of the above-identified specifica	tion, including the				
l acknowledge with Title 37, Co	the duty to discl ode of Federal F	ose information which is materi Regulations, §1.56(a).	ial to the examination of this applica	ation in accordance				
with Title 37, Code of Federal Regulations, §1.56(a).  I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:								
PRIOR FOREIG	GN/PCT APPLI	CATION(S) AND ANY PRIORI	TY CLAIMS UNDER 35 U.S.C. 11	9:				
COUN (if PCT indic		APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 USC 119				
Germany		198 40 232.5	03 September 1998	MYES DINO				
				☐YES ☐NO				
				□ YES □ NO				
				DYES DNO				

☐ YES ☐ NO

i con
7.3
1
D
The state of
T
n
2;
1
I'll I'm
land Turk
==

Combined Declaration For Patent Application and Power of Attorney (Continued) (Includes Reference to PCT International Applications) PCT/DE99/02805  ATTORNEY'S DOCKET NO. 112740-164								
the Unite that/thos material	ed States of America se prior application(s) i I information as define	that Is/ in the m d in Tit	35, United States Code, § are listed below and, Instanting the firm anner provided by the firm is 37, Code of Federal Refilling data of this applic	ofar as the st paragra egulations	e subject mater of each on of Title 35, Untied	ach of the claims of States Code, §11:	of this application in 2, I acknowledge to	is not disclosed in ne duty to disclose
PRIOR	U.S. APPLICATIONS	OR P	CT INTERNATIONAL A	PPLICAT	ONS DESIGNATIN	G THE U.S. FOR	BENEFIT UNDER	35 U.S.C. 120:
U.S. AP	PLICATIONS					STATUS (Che	ck one)	
U.S. APPLICATION NUMBER U.S. FILING DATE PATENTED PENDING ABANDONE								
O.S. FILING DATE PATENTED PENDING ABAN								
					· ***			
							<del> </del>	
PCTAP	PLICATIONS DESIG	NATIN	G THE U.S.					
PC	T APPLICATION NO	)	PCT FILING DATE		ERIAL NUMBERS SIGNED (If any)			
DOWNE	OF AFFORME							
Harney (33,543).	38.174). Patricia A. K.	ane /45	I Inventor, I hereby appo asso (46,541), Jeffrey H. ,446), Michael S. Leonan flaurice E. Teixeira (45,64	. Canneig	(38,404), Robert VV.	. Connors (46,639)	, Amy J. Gast (41	,773), Timothy L.
Send Co	rrespondence to:		bris males				T	
			BELL, BOYD & LLOY P.O. Box 1135				Direct Telephor	ne Calls to:
		<del></del>	Chicago, Illinois 6	0690	690 312/807-4292			
	FULL NAME OF INVENTOR	FAMI BEN	LY NAME IZ	FIRST GIVEN NAME MICHAEL		SECOND GIVEN NAME		
2 0 1	RESIDENCE &	1362	29 Berlin		STATE OR FOREIGN COUNTRY Germany		COUNTRY OF CITIZENSHIP Germany	
	POST OFFICE ADDRESS	1	office Address ukertdamm 328		CITY 13629 Berlin		STATE & ZIP CODE/COUNTRY Garmony	
	FULL NAME OF INVENTOR	FAMIL	LY NAME IN		FIRST GIVEN NAME ANJA		SECOND GIVEN NAME	
2 0 2	RESIDENCE & CITIZENSHIP	1070	99 Berlin		STATE OR FOREIGN (	COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	1 .	OFFICE ADDRESS arborner Str. 8		CITY 10709 Berlin		STATE & ZIP CODE/	COUNTRY
	FULL NAME OF INVENTOR	FAMIL SITTE	YNAME		FIRST GIVEN NAME ARMIN		SECOND GIVEN NA	ME
2 0 3	RESIDENCE & CITIZENSHIP	CITY 10405	Berlin		STATE OR FOREIGN O	COUNTRY	COUNTRY OF CITIZ	ENSHIP
POST OFFICE POST OFFICE ADDRESS ADDRESS Program of Allen 227					CITY		STATE & ZIP CODE	
fine or imp	ectare that all statemer; and further that thes prisonment, or both, u the application or any	nder se	de herein of my own knownents were made with the cition 1001 of Title 18 of a suning thereon.	wledge and the United	e true and that all sta	itements made on statements and it that such willful fat	Information and but the like so made at se statements ma	elief are believed re punishable by ny jeopardize the
	RE OF INVENTOR 2		SIGNATURE OF INVE	NTOR 20			OF INVENTOR 203	
	9 May 01		DATE			DATE		
O-1391 (	REV 01-84)	Pag	e 2 of 4		UC DCDADTO	THE OF COLUMN		

ige 2 of 4

US DEPARTMENT OF COMMERCE- Patent and Trademark Office

ij
T
Ĵ
Ŧ
2000 2000 2000
Π
af
elle

Combined Declaration For Patent Application and Power of Attorney (Continued) (Includes Reference to PCT International Applications) PCT/DE99/02805							ATTORNEY'S DOCKET NO. 112740-154		
I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT International application(s) designating the United States of America that is/are listed below and, insofar as the subject mater of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:									
PRIOR	J.S. APPLICATIONS	OR PCT INTERNATIONAL	APPLICATI	ONS DESIGNATING	THE U.S. FOR	BENEFIT UNDER	R 35 U.S.C. 120:		
U.S. APF	PLICATIONS				STATUS (Che	ck one)			
U.S. APF	PLICATION NUMBER	<b>\</b>	U.S. FILING DATE		PATENTED	PENDING	ABANDONED		
PCT APP	PLICATIONS DESIGN	NATING THE U.S.	··						
1									
	T APPLICATION NO	PCT FILING DATE		ERIAL NUMBERS SIGNED (if any)					
<u></u>									
BOWER	OF ATTORNEY: 4-		<u> </u>						
POWER OF ATTORNEY: As a named inventor, I hareby appoint the following attorney(s) Holby M. Abern (P47,372), Robert M. Barrett (30,142), Alan L. Barry (30,819), Thomas C. Basso (46,541), Jeffrey H. Canfield (38,404), Robert W. Connors (46,639), Arry J. Gast (41,773), Timothy L. Harney (38,174), Patricia A. Kane (46,446), Michael S. Leonard (37,557), Edward A. Lehman (22,312), Adam H. Masla (35,602), Dante J. Picciano (33,543), Renato L. Smith (45,117), Maurice E. Teixeira (45,646), William E. Vaughan (39,056), Austin Victor (47,154), and all members of the firm of Bell, Boyd & Lloyd LLC.									
Sena Cor	respondence to:	Bell, Royd & Llo	YD LLC			Direct Telepho	ne Calls to:		
		P.O. Box 113 Chicago, Illineis				312/807-4292			
	FULL NAME OF INVENTOR	FAMILY NAME ULRICH	40030	FIRST GIVEN NAME THOMAS		SECOND GIVEN NAME			
2 0 4	RESIDENCE & CITIZENSHIP	CITY 13505 Berlin	<del></del>	STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZENSHIP			
·	POST OFFICE ADDRESS	POST OFFICE ACCRESS Sandhauser Str. 1098		CITY 13505 Berlin		STATE & ZIP CODE/COUNTRY Germany			
	FULL NAME OF INVENTOR	FAMILY NAME FAERBER		FIRST GIVEN NAME MICHAEL		SECOND GIVEN NAME			
2 0 5	RESIDENCE & CITIZENSHIP	city 82515 Wolfratshausen		STATE OR FOREIGN C	DUNTRY	COUNTRY OF CITIZENSHIP			
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Schiessstaettstr, 12A		CITY B2515 Wolfratshau	isen	STATE & ZIP CODE/COUNTRY Gormany			
	FULL NAME OF INVENTOR	FAMILY NAME KOTTKAMP		FIRST GIVEN NAME MEIK		SECOND GIVEN NAME			
2 0 6	RESIDENCE & CITIZENSHIP	crry 10585 Berlin		STATE OR FOREIGN COUNTRY Germany		COUNTRY OF CITIZENSHIP Germany			
	POST OFFICE ADDRESS	Post office address Schustehrusstr. 42		CITY 10585 Berlin		STATE & ZIP CODE/COUNTRY Germany			
fine or imp	I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.								
SIGNATURE OF INVENTOR 204 SIGNATURE OF INVENTOR 205 SIGNATURE OF INVENTOR 206						6			
DATE DATE 6.6.01 SATE 11/06/01							, 0		

PTO-1391 (REV 01-84)

Page 3 of 4

US DEPARTMENT OF COMMERCE- Patent and Trademark Office

	Combined Declaration For Patent Application and Power of Attorney   (Continued) (Includes Reference to PCT International Applications) PCT/DE99/02805   112740-164										
	the Unite that/thos material	ed States of America t e prior application(s) In information as defined	hat is/a the ma I in Title	5, United States Code, § are listed below and, instance provided by the first 37, Code of Federal Rifiling date of this applic	ofar as the st paragrap egulations,	subject meter of each of Title 35, United 5	ch of the claims of States Code, §112	this application in a comment of the	is not disclosed in he duty to disclose		
	PRIOR L	U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120:									
	U.S. API	u.s. applications					STATUS (Check one)				
	U.S. API	U.S. APPLICATION NUMBER				NG DATE	PATENTED	PENDING	ABANDONED		
					ļ				<u> </u>		
	PCT API	PCT APPLICATIONS DESIGNATING THE U.S.									
	PC	T APPLICATION NO				ERIAL NUMBERS	ļ		ļ		
				ASS		IGNED (if any)		<del></del>			
. 10:172			^								
ET IL											
that had made my that the	Harney (3 (33,543), of Bell, B	POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) Holby M. Abem (P47,372), Robert M. Barrett (30,142), Alan L. Barry (30,619), Thomas C. Basso (46,541), Jeffrey H. Canfield (38,404), Robert W. Connors (46,639), Amy J. Gast (41,773), Timothy L. Harney (38,174), Patricia A. Kane (48,446), Michael S. Leonard (37,557), Edward A. Lehman (22,312), Adam H. Masia (35,602), Dante J. Picclano (33,543), Renato L. Smith (45,117), Maurice E. Telxeira (45,646), William E. Vaughan (39,056), Austin Victor (47,154), and all members of the firm of Bell, Boyd & Lloyd LLC.									
	Sena Co	Send Correspondence to:  BELL, BDYD & LLOY P.O. Box 113: Chicage, Illine's				5			Direct Telephone Calls to: 312/807-4292		
E. J. E		FULL NAME OF INVENTOR	1	Y NAME IMER		FIRST GIVEN NAME VOLKER		SECOND GIVEN NAME			
W. M. W.	2 0 7	RESIDENCE & CITIZENSHIP	1350	3 Berlin		STATE OR FOREIGN C	OUNTRY	COUNTRY OF CITIZENSHIP Garmany			
		POST OFFICE ADDRESS	1	OFFICE ADDRESS vabstedter Weg 8		CITY 13503 Berlin		STATE & ZIP CODE/COUNTRY Germany			
	. :	FULL NAME OF FAMILY NAME INVENTOR			FIRST GIVEN NAME		SECOND GIVEN NAME				
	2 0 8	RESIDENCE & CITIZENSHIP	CITY		······································	State or Foreign C	DUNTRY	COUNTRY OF CITIZENSHIP Germany			
		POST OFFICE ADDRESS	POST	OFFICE ADDRESS		CITY		STATE & ZIP CODE/COUNTRY Germany			
		FULL NAME OF INVENTOR	FAMIL	Y NAME		FIRST GIVEN NAME		SECOND GIVEN NAME			
	2 0 9	RESIDENCE & CITIZENSHIP	CITY			STATE OR FOREIGN COUNTRY		COUNTRY OF CITIZENSHIP			
		POST OFFICE ADDRESS		OFFICE ADDRESS		CITY		STATE & ZIP CODE/COUNTRY			
	I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.										
	SIGNATU	IRE OF INVENTOR 2	01	SIGNATURE OF INVE	/ENTOR 202		SIGNATURE OF INVENTOR 203				
	DATE			DATE			DATE				
F	PTO-1391 (REV 01-84) Page 4 of 4 US DEPARTMENT OF COMMERCE- Patent and Trademark Office										